

**बिड दस्तावेज़ / Bid Document**

<b>बिड विवरण / Bid Details</b>	
<b>बिड बंद होने की तारीख/समय / Bid End Date/Time</b>	18-04-2026 19:00:00
<b>बिड खुलने की तारीख/समय / Bid Opening Date/Time</b>	18-04-2026 19:30:00
<b>बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)</b>	120 (Days)
<b>मंत्रालय/राज्य का नाम / Ministry/State Name</b>	Ministry Of Education
<b>विभाग का नाम / Department Name</b>	Department Of Higher Education
<b>संगठन का नाम / Organisation Name</b>	Indian Institute Of Management (iim)
<b>कार्यालय का नाम / Office Name</b>	Mumbai
<b>कुल मात्रा / Total Quantity</b>	1885
<b>वस्तु श्रेणी / Item Category</b>	BOQ 1 , BOQ 2 , BOQ 3 , BOQ 4 , BOQ 5 , BOQ 6 , BOQ 7
	Proving and fixing Metal single bed of size: 2050L x 973W x 720H. Material- Headboard Panels are made of 18 mm thick Prelaminated Particle Board with 2 mm thick PVC edge Banding all around. Bed leg, Frame structure consist of metal frame made of MS with the size of 50.8 x25.4 x 1.2mm thick. Assembly inner slats of Square stube 19 x 1.0mm Thick MS ERW Tube as per IS:7138. Headboard & Tail Board: Head Board & Tail Board should be made up of square pipe 50 x 1.2mm & 25.4x1.0mm Thick MS ERW Tube as per IS:7138 and support bracket MS Sheet IS:513 Head/Tail board connected with bed frame with M8 bolt. Construction- Know Down. Bed shall be powder coated in thickness of 50-60 micron. Mattress Panel shall be made of Virgin Polypropylene with Circular Honeycomb Structure. Sheet shall have 09 layer of Polypropylene with the GSM of 3000. Bubble Guard sheet shall be Water Proof, Termite Proof etc with 100% recyclable material. The manufacturer shall have ISO 9001, 14001, 45001, 50001 accreditations by NABCB only, and CII Certified Green Co Gold, Green Guard Compliance, AIOTA Certificate and Item shall be complete as per guiding image, manufacturer's specification and direction of Engineer - in - charge, Providing and supplying Table with Two drawer (Overall size 900mm W x 600mm D x 750 Ht). Top shall be made up of 18mm thick Prelaminated Particle Board Confirming IS 12823:1990 with 2 mm thick PVC edge Banding. Unrestructured and Footrest shall be made of 25.4x25.4x1.2 mm thick ERW tube with 50 microns powder coating. Modesty Shall be made of 0.8 mm thick CRCA Sheet with approved shade of Powder coating. Storage Drawer shall be made of 0.6 mm thick CRCA Sheet and Drawer shall be Telescopic channel. Storage shall have

**बिड विवरण / Bid Details**

Box-Box Configuration with Locking Key Facility. The manufacturer shall have ISO 9001, 14001, 45001, 50001 accreditations by NABCB only, and CII Certified Green Co Gold , Green Guard Compliance, AIOTA Certificate and Item shall be complete as per guiding image, manufacturer's specification and direction of Engineer - in - charge., Supplying and placing in position Mid Back Chair- SEAT/BACK ASSEMBLY: The Cushioned seat should be made of 12 mm thick Hot-Pressed Ply should be upholstered with leatherette and Moulded High Resilience (HR) Polyurethane foam of Density 45±2 kg/m3, as per IS:7888. The Cushioned back should be made of PU Foam and upholstered with Fabric. Seat SIZE : 47.0 cm. (W) x 49.0 cm. (D), BACK SIZE: 48.0 cm. (W) x 62.5 cm. ARM REST: The one-piece armrests are injection moulded from black Co-polymer Polypropylene.. Centre Tilt MECHANISM- The adjustable tilting mechanism should be designed with the following features: • 360' revolving type. Upright Locking Facility. PNEUMATIC HT. ADJUSTMENT: The pneumatic ht. adjustment has an adjustment stroke of 10.0±0.3 cm. PEDESTAL ASSEMBLY: The pedestal should be Nylon Star base and fitted with 5 nos. twin wheel castors. The pedestal should be 66.0 ± 0.5cm. pitch-centre dia. Minimum (71.0 ± 1.0cm. With castors.) TWIN WHEEL CASTORS: The twin wheel castors should be injection Moulded in black PP having Min 5.0± 0.1cm wheel Diameter. `Overall Dimensions of Chair Seat Height - Min 43.0- 53.0cm, Height -Min 93.0-103.0cm. OEM Must Have In-house Foam Manufacturing Setup. The manufacturer shall have ISO 9001, 14001, 45001, 50001 accreditations by NABCB only, and CII Certified Green Co Gold, Green Guard Compliance, AIOTA Certificate and Item shall be complete as per guiding image, manufacturer's specification and direction of Engineer - in - charge, Supplying and placing in position Mid Back Chair- SEAT/BACK ASSEMBLY: The Cushioned seat should be made of 12 mm thick Hot-Pressed Ply should be upholstered with leatherette and Moulded High Resilience (HR) Polyurethane foam of Density 45±2 kg/m3, as per IS:7888. The Cushioned back should be made of PU Foam and upholstered with Fabric. Seat SIZE : 47.0 cm. (W) x 49.0 cm. (D), BACK SIZE: 48.0 cm. (W) x 62.5 cm. ARM REST: The one-piece armrests are injection moulded from black Co-polymer Polypropylene.. Centre Tilt MECHANISM- The adjustable tilting mechanism should be designed with the following features: • 360' revolving type. Upright Locking Facility. PNEUMATIC HT. ADJUSTMENT: The pneumatic ht. adjustment has an adjustment stroke of 10.0±0.3 cm. PEDESTAL ASSEMBLY: The pedestal should be Nylon Star base and fitted with 5 nos. twin wheel castors. The pedestal should be 66.0 ± 0.5cm. pitch-centre dia. Minimum (71.0 ± 1.0cm. With castors.) TWIN WHEEL CASTORS: The twin wheel castors should be injection Moulded in black PP having Min 5.0± 0.1cm wheel Diameter. `Overall Dimensions of Chair Seat Height - Min 43.0- 53.0cm, Height -Min 93.0-103.0cm. OEM Must Have In-house Foam Manufacturing Setup. The manufacturer shall have ISO 9001, 14001, 45001, 50001 accreditations by NABCB only, and CII Certified Green Co Gold, Green Guard Compliance, AIOTA Certificate and Item shall be complete as per guiding image, manufacturer's specification and direction of Engineer - in - charge, Providing and Placing in Position Almirah with Locker as per drawing and direction of Engineer -In -Charge The overall size of 900mm(W)x540mm(D)x1950mm(H) with Knock Down

**GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS**

बिड विवरण / Bid Details	construction. It should have the shelf thickness of 0.8 mm, Back thickness of 0.8mm, Door thickness of 0.8mm (high
	<p>yield strength) and all other components shall have a thickness of 0.8mm. These components shall be made of CRCA 'D' grade high yield strength as per IS:513. The Storage should have a Mazak handle and Three way locking mechanism with Shooting Bolts. Almirah shall equipped with System 32 Hinge with locking door and vivid configuration with secure stuff. Locks shall made of zinc alloy core, steel cam with Key Rotation angle 90 degree, lever rotation: 90 degree. Almirah shall have wooden handle provides new look and authentic characteristics to handle. Almirah shall have one locker unit and one drawer unit. Storage shall have Hanging Rod with multiple shelves. It should have a height wise adjustable shelf mounting which shall have a Uniformly Distributed Load Capacity of max 40 Kg. It should also have a M10 Screw type Leveller with Hex plastic base. The finishing shall include Epoxy powder coated to the thickness of 50 microns (+/- 10). Plenty of colour options and shelving options shall be available. The manufacturer shall have ISO 9001, 14001, 45001, 50001 accreditations by NABCB only, and CII Certified Green Co Gold, Green Guard Compliance, AIOTA Certificate and Item shall be complete as per guiding image, manufacturer's specification and direction of Engineer - in - charge, Providing, transporting and fixing in position Bed Side Table complete in all respect as per approved shade, manufacturer's specification, guiding image and as directed by the Engineer-In-Charge. Overall Dimensions Width: 400 mm X Depth: 400 mm X Height: 530 mm Bed Side Table shall be made of 15 mm thick Pre-Laminated Particle Board and Board shall be Interior Grade - E2, P2 Grade conform to IS 12823:1990 (latest revision). All exposed edges shall be sealed with 2 mm thick matching PVC edge banding. Edge banding shall be machine applied using hot melt adhesive. The manufacturer shall have ISO 9001, 14001, 45001, 50001 accreditations by NABCB only, and CII Certified Green Co Gold, Green Guard Compliance, AIOTA Certificate., Providing, transporting and fixing in position Overhead Storage complete in all respect as per approved shade, manufacturer's specification, guiding image and as directed by the Engineer-In-Charge The store-Up consist of main and add-on unit type of construction with metal body and wooden doors and is available in following Size - 600Wx400Dx785H. Stackability - The add-On Unit can be stacke width wise to main unite to form bank of storage having common side panel. Installation - The store Up should be installed on concrete or solid brick wall only. Construction &amp; Material - Aesthetically appealing completely knock- down construction made from 0.6mm (+0.0mm) thk CRCA as per IS-513. Horizontal stiffener is made from 1.2mm (+0.09mm) thk. CRCA as per IS 513. Doors - Door are made from 18mm (+0.5mm) thk. Interior grade pre-laminated Particle board (PLB) as per IS-12823 OR 18mm (+0.5mm) thk. Plain particle board (PPB) as per IS-3087 with 0.6thl decorative laminate and 0.6thk backing laminate as per IS 2046 on either side. All edges of the door are duly sealed with 2mm thk PVC Edge banding. 600W unite have two door with single lock on RH door. Locking - 10 Lever cam lock with lock lever at the bottom of the door. Shelving - Height wise Adjustable Shelf 01no (6 positions adjustment) load capacity of the shelf/bottom shelf=25 kg UDL max Two rows of A4 size Box file (85Wx345Hx285D) can be stored vertically on shelf/bottom. Finish - Epoxy</p>

बिड विवरण/Bid Details	Powder coated to the thickness of 50 microns (+10)., Providing, supplying, transporting, assembling and fixing
	Metal Shoe Cabinet (Wall Hung Unit) with tilt-out shutters, complete in all respects, as per approved drawing, sample, manufacturer's specification and direction of Engineer-in-Charge. Material & Construction- Cabinet shall be manufactured from CRCA mild steel sheet conforming to IS 513. Body, sides, top, bottom & partitions: minimum 0.8 mm. All joints shall be machine pressed, welded / riveted to ensure rigidity and long service life. Cabinet edges shall be folded and rounded, free from sharp corners. Cabinet shall be provided with multiple tilt-out shoe trays. Trays shall be supported on side-mounted metal brackets ensuring smooth tilt operation. Tilt-out trays shall be mounted on heavy-duty pivot hinges / rotary mechanism. Top tray shall be provided with cam lock with pair of keys for security highlighting locking provision. Adequate perforations / louvers shall be provided on side panels and inner panels for air circulation and odor prevention. All steel surfaces shall be pre-treated by phosphating with 10-tank process. Final finish shall be powder coating, minimum 50 microns thickness. The manufacturer shall have ISO 9001, 14001, 45001, 50001 accreditations by NABCB only, and CII Certified Green Co Gold, Green Guard Compliance, CE Certificate and Item shall be complete as per guiding image,
	<p>manufacturer's specification and direction of Engineer - in - charge. Overall Dimension- 900W x 150D x 1440H (in mm) <del>Searched String: Providing and Fixing Metal Single bed of size: 2050L x 973W x 720H. Material- Headboard Panels are made of 18 mm thick Prelaminated Particle Board with 2 mm thick PVC edge Banding all around. Bed leg, Frame structure consist of metal frame made of MS with the size of 50.8 x25.4 x 1.2mm thick. Assembly inner slats of Square stube 19 x 1.0mm Thick MS ERW Tube as per IS:7138. Headboard &amp; Tail Board: Head Board &amp; Tail Board should be made up of square pipe 50 x 1.2mm &amp; 25.4x1.0mm Thick MS ERW Tube as per IS:7138 and support bracket MS Sheet IS:513 Head/Tail board connected with bed frame with M8 bolt. Construction- Know Down. Bed shall be powder coated in thickness of 50-60 micron. Mattress Panel shall be made of Virgin Polypropylene with Circular Honeycomb Structure. Sheet shall have 09 layer of Polypropylene with the GSM of 3000. Bubble Guard sheet shall be Water Proof, Termite Proof etc with 100% recyclable material. The manufacturer shall have ISO 9001, 14001, 45001, 50001 accreditations by NABCB only, and CII Certified Green Co Gold, Green Guard Compliance, AIOTA Certificate and Item shall be complete as per guiding image, manufacturer's specification and direction of Engineer - in - charge</del></p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Providing and supplying Table with Two drawer (Overall size 900mm W x 600mm D x 750 Ht). Top shall be made up of 18mm thick Prelaminated Particle Board Confirming IS 12823:1990 with 2 mm thick PVC edge Banding. Unrestructured and Footrest shall be made of 25.4x25.4x1.2 mm thick ERW tube with 50 microns powder coating. Modesty Shall be made of 0.8 mm thick CRCA Sheet with approved shade of Powder coating. Storage Drawer shall be made of 0.6 mm thick CRCA Sheet and Drawer shall be Telescopic channel. Storage shall have Box-Box Configuration with Locking Key Facility. The manufacturer shall have ISO 9001, 14001, 45001, 50001 accreditations by NABCB only, and CII Certified Green Co</p>

विड विवरण/Bid Details Gold, Green Guard Compliance, AIOTA Certificate and Item shall be complete as per guiding image, manufacturer's specification and direction of Engineer - in - charge.

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Supplying and placing in position Mid Back Chair- SEAT/BACK ASSEMBLY: The Cushioned seat should be made of 12 mm thick Hot-Pressed Ply should be upholstered with leatherette and Moulded High Resilience (HR) Polyurethane foam of Density  $45\pm 2$  kg/m<sup>3</sup>, as per IS:7888. The Cushioned back should be made of PU Foam and upholstered with Fabric. Seat SIZE : 47.0 cm. (W) x 49.0 cm. (D), BACK SIZE: 48.0 cm. (W) x 62.5 cm. ARM REST: The one-piece armrests are injection moulded from black Co-polymer Polypropylene.. Centre Tilt MECHANISM- The adjustable tilting mechanism should be designed with the following features: • 360' revolving type. Upright Locking Facility. PNEUMATIC HT. ADJUSTMENT: The pneumatic ht. adjustment has an adjustment stroke of  $10.0\pm 0.3$  cm. PEDESTAL ASSEMBLY: The pedestal should be Nylon Star base and fitted with 5 nos. twin wheel castors. The pedestal should be  $66.0 \pm 0.5$ cm. pitch-centre dia. Minimum ( $71.0 \pm 1.0$ cm. With castors.) TWIN WHEEL CASTORS: The twin wheel castors should be injection Moulded in black PP having Min  $5.0\pm 0.1$ cm wheel Diameter. `Overall Dimensions of Chair Seat Height - Min 43.0- 53.0cm, Height -Min 93.0-103.0cm. OEM Must Have In-house Foam Manufacturing Setup. The manufacturer shall have ISO 9001, 14001, 45001, 50001 accreditations by NABCB only, and CII Certified Green Co Gold, Green Guard Compliance, AIOTA Certificate and Item shall be complete as per guiding image, manufacturer's specification and direction of Engineer - in - charge

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Supplying and placing in position Mid Back Chair- SEAT/BACK ASSEMBLY: The Cushioned seat should be made of 12 mm thick Hot-Pressed Ply should be upholstered with leatherette and Moulded High Resilience (HR) Polyurethane foam of Density  $45\pm 2$  kg/m<sup>3</sup>, as per IS:7888. The Cushioned back should be made of PU Foam and upholstered with Fabric. Seat SIZE : 47.0 cm. (W) x 49.0 cm. (D), BACK SIZE: 48.0 cm. (W) x 62.5 cm. ARM REST: The one-piece armrests are injection moulded from black Co-polymer Polypropylene.. Centre Tilt MECHANISM- The adjustable tilting mechanism should be designed with the following features: • 360' revolving type. Upright Locking Facility. PNEUMATIC HT. ADJUSTMENT: The pneumatic ht. adjustment has an adjustment stroke of  $10.0\pm 0.3$  cm. PEDESTAL ASSEMBLY: The pedestal should be Nylon Star base and fitted with 5 nos. twin wheel castors. The pedestal should be  $66.0 \pm 0.5$ cm. pitch-centre dia. Minimum ( $71.0 \pm 1.0$ cm. With castors.) TWIN WHEEL CASTORS: The twin wheel castors should be injection Moulded in black PP having Min  $5.0\pm 0.1$ cm wheel Diameter. `Overall Dimensions of Chair Seat Height - Min 43.0- 53.0cm, Height -Min 93.0-103.0cm. OEM Must Have In-house Foam Manufacturing Setup. The manufacturer shall have ISO 9001, 14001, 45001, 50001 accreditations by NABCB only, and CII Certified Green Co Gold, Green Guard Compliance, AIOTA Certificate and Item shall be complete

बिड विवरण / Bid Details	as per guiding image, manufacturer's specification and direction of Engineer - in - charge
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Providing and Placing in Position Almirah with Locker as per drawing and direction of Engineer -In - Charge The overall size of 900mm(W)x540mm(D)x1950mm(H) with Knock Down construction. It should have the shelf thickness of 0. 8 mm, Back thickness of 0.8mm, Door thickness of 0.8mm (high yield strength) and all other components shall have a thickness of 0.8mm. These components shall be made of CRCA 'D' grade high yield strength as per IS:513. The Storage should have a Mazak handle and Three way locking mechanism with Shooting Bolts. Almirah shall equipped with System 32 Hinge with locking door and vivid configuration with secure stuff. Locks shall made of zinc alloy core, steel cam with Key Rotation angle 90 degree, lever rotation: 90 degree. Almirah shall have wooden handle provides new look and authentic characteristics to handle. Almirah shall have one locker unit and one drawer unit. Storage shall have Hanging Rod with multiple shelves. It should have a height wise adjustable shelf mounting which shall have a Uniformly Distributed Load Capacity of max 40 Kg. It should also have a M10 Screw type Leveller with Hex plastic base. The finishing shall include Epoxy powder coated to the thickness of 50 microns (+/- 10). Plenty of colour options and shelving options shall be available. The manufacturer shall have ISO 9001, 14001, 45001, 50001 accreditations by NABCB only, and CII Certified Green Co Gold, Green Guard Compliance, AIOTA Certificate and Item shall be complete as per guiding image, manufacturer's specification and direction of Engineer - in - charge</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Providing, transporting and fixing in position Bed Side Table complete in all respect as per approved shade, manufacturer's specification, guiding image and as directed by the Engineer-In-Charge. Overall Dimensions Width: 400 mm X Depth: 400 mm X Height: 530 mm Bed Side Table shall be made of 15 mm thick Pre-Laminated Particle Board and Board shall be Interior Grade - E2, P2 Grade conform to IS 12823:1990 (latest revision). All exposed edges shall be sealed with 2 mm thick matching PVC edge banding. Edge banding shall be machine applied using hot melt adhesive. The manufacturer shall have ISO 9001, 14001, 45001, 50001 accreditations by NABCB only, and CII Certified Green Co Gold, Green Guard Compliance, AIOTA Certificate.</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Providing, transporting and fixing in position Overhead Storage complete in all respect as per approved shade, manufacturer's specification, guiding image and as directed by the Engineer-In-Charge The store-Up consist of main and add-on unit type of construction with metal body and wooden doors and is available in following Size - 600Wx400Dx785H. Stackability - The add-On Unit can be stacke width wise to main unite to form bank of</p>

बिड विवरण / Bid Details	<p>storage having common side panel. Installation - The store Up should be installed on concrete or solid brick wall only.</p> <p>Construction &amp; Material - Aesthetically appealing completely knock- down construction made from 0.6mm (+0.0mm) thk CRCA as per IS-513. Horizontal stiffener is made from 1.2mm (+0.09mm) thk. CRCA as per IS 513. Doors - Door are made from 18mm (+0.5mm) thk. Interior grade pre-laminated Particle board (PLB) as per IS-12823 OR 18mm (+0.5mm) thk. Plain particle board (PPB) as per IS-3087 with 0.6thl decorative laminate and 0.6thk backing laminate as per IS 2046 on either side. All edges of the door are duly sealed with 2mm thk PVC Edge banding. 600W unite have two door with single lock on RH door. Locking - 10 Lever cam lock with lock lever at the bottom of the door. Shelving - Height wise Adjustable Shelf 01no (6 positions adjustment) load capacity of the shelf/bottom shelf=25 kg UDL max Two rows of A4 size Box file (85Wx345Hx285D) can be stored vertically on shelf/bottom. Finish - Epoxy Powder coated to the thickness of 50 microns (+10).</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Providing, supplying, transporting, assembling and fixing Metal Shoe Cabinet (Wall Hung Unit) with tilt-out shutters, complete in all respects, as per approved drawing, sample, manufacturer's specification and direction of Engineer-in-Charge. Material &amp; Construction- Cabinet shall be manufactured from CRCA mild steel sheet conforming to IS 513. Body, sides, top, bottom &amp; partitions: minimum 0.8 mm. All joints shall be machine pressed, welded / riveted to ensure rigidity and long service life. Cabinet edges shall be folded and rounded, free from sharp corners. Cabinet shall be provided with multiple tilt-out shoe trays. Trays shall be supported on side-mounted metal brackets ensuring smooth tilt operation. Tilt-out trays shall be mounted on heavy-duty pivot hinges / rotary mechanism. Top tray shall be provided with cam lock with pair of keys for security highlighting locking provision. Adequate perforations / louvers shall be provided on side panels and inner panels for air circulation and odor prevention. All steel surfaces shall be pre-treated by phosphating with 10-tank process. Final finish shall be powder coating, minimum 50 microns thickness. The manufacturer shall have ISO 9001, 14001, 45001, 50001 accreditations by NABCB only, and CII Certified Green Co Gold, Green Guard Compliance, CE Certificate and Item shall be complete as per guiding image, manufacturer's specification and direction of Engineer - in - charge. Overall Dimension-900Wx150Dx1440Ht (in mm)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> <li>• Modular Table / Meeting Table / Centre Table (V2)</li> </ul>
बीओक्यू शीर्षक /BOQ Title	Purchase of Module Hostel Furniture
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	150 Lakh (s)

<b>बिड विवरण/Bid Details</b>	
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	1200 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	80 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	BOQ 1
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days

**बिड विवरण/Bid Details**

निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
अनुमानित बिड मूल्य / <b>Estimated Bid Value</b>	30000000
मूल्यांकन पद्धति/ <b>Evaluation Method</b>	Total value wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / <b>Financial Document Required</b>	Yes
मध्यस्थता खंड/ <b>Arbitration Clause</b>	No
सुलह खंड/ <b>Mediation Clause</b>	No

**ईएमडी विवरण/EMD Detail**

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	600000

**ईपीबीजी विवरण /ePBG Detail**

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	26

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

Indian Institute of Management Mumbai  
Mumbai, Department of Higher Education, Indian Institute of Management (IIM), Ministry of Education  
(Indian Institute Of Mangement Mumbai)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता / MII Purchase Preference**

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
--	-----

मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

#### एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum

local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

#### Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
07-04-2026 17:00:00	Mini - conference room ,1st Floor, IIM Mumbai, Vihar Lake road, Powai, Mumbai 400087

#### BOQ 1

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramotar Kumawat	400087,Indian Institute of Management Mumbai Vihar Lake Road, Powai Mumbai- 400087	290	45

**BOQ 2**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramotar Kumawat	400087,Indian Institute of Management Mumbai Vihar Lake Road, Powai Mumbai- 400087	290	45

**BOQ 3**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramotar Kumawat	400087,Indian Institute of Management Mumbai Vihar Lake Road, Powai Mumbai-400087	290	45

**BOQ 4**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramotar Kumawat	400087,Indian Institute of Management Mumbai Vihar Lake Road, Powai Mumbai-400087	290	45

**BOQ 5**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramotar Kumawat	400087,Indian Institute of Management Mumbai Vihar Lake Road, Powai Mumbai- 400087	290	45

**BOQ 6**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramotar Kumawat	400087,Indian Institute of Management Mumbai Vihar Lake Road, Powai Mumbai- 400087	290	45

**BOQ 7**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramotar Kumawat	400087,Indian Institute of Management Mumbai Vihar Lake Road, Powai Mumbai- 400087	145	45

#### क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

##### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

##### 2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

#### अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of

bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate**

**action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**